



Services & Products Brochure

Founded and owned by Richard Fenlon, Focused Services is a family-run business built on over 21 years of experience in mechanics and hydraulics. Focused Services specializes in excavator attachments and forklifts - predominantly a mobile business, we will come to you! Offering servicing, repairs, PUWER & LOLER inspections, site checks, and emergency breakdown call-outs, we're here to keep you moving.

CONTENTS

1. Servicing & Repairs (p. 2)
2. Thorough Examinations (p. 3)
3. New & Used Sales (p. 4)
 - Breakers (p. 5-6)
 - Grabs (p. 7)
 - Pulverisers & Shears (p. 8)
 - Compactors (p. 9)
 - Non-Hydraulic Attachments & Headstocks (p. 10)

CONTACT

info.focusedservices@gmail.com

07378 503593

www.focusedservices.co.uk

Servicing & Repairs

We offer servicing and repairs on a wide range of machinery, attachments and vehicles. We will attend site to carry out servicing, breakdowns, and full site checks. Weekly and monthly contracts are available to ensure your machines are consistently serviced and up to date! Prices vary, so please get in touch.

Keeping Your Equipment Working

Reliable machinery is essential to keeping your business moving. Focused Services provides mechanical and hydraulic repairs, servicing and maintenance to help keep equipment operating safely, efficiently and reliably.

With 21 years of mechanical and hydraulic experience, we understand the importance of minimising downtime and getting machinery back to work. Whether you need routine servicing, help diagnosing a fault or repairs to get equipment working again, we offer a practical, straightforward service tailored to your requirements.



Routine Servicing & Maintenance

Regular servicing can help identify wear and developing faults before they lead to more significant problems. Keeping equipment maintained supports reliability, helps reduce unexpected disruption and allows potential issues to be addressed before they escalate.



Breakdown & Site Callouts

When machinery develops a fault, downtime can affect productivity and schedules. Focused Services offers site callouts to assess problems and carry out repairs where possible, helping you get back to work with minimal disruption.



Thorough Examinations

LOLER/PUWER



We offer Thorough Examinations carried out to LOLER standards, or PUWER regulations. The examiner will attend the site to carry out the inspections and you will receive formal certification. Focused Services is happy to quote you for free on any repairs needed should the initial inspection fail, and you will be given top priority booking if you would like our team to get your machine moving again! Bi-annual and annual contracts are available.

IS YOUR SITE COVERED?

LOLER – Lifting Operations and Lifting Equipment Regulations


LOLER inspections help ensure lifting equipment is safe to use and suitable for its intended purpose. Thorough Examinations are carried out by a competent person to identify defects and potential safety risks, helping businesses meet their legal responsibilities.

PUWER - Provision and Use of Work Equipment Regulations

PUWER helps ensure work equipment is safe, suitable for its intended use, properly maintained and inspected where necessary. Inspections help identify potential hazards and ensures equipment can be used safely in the workplace.



New & Used Sales



Used & Refurbished Sales

Focused Services offers a range of fully refurbished or used attachments!

Our stock will vary, so please check the website to see what we have available; our Stock List is updated every Monday.


www.focusedservices.co.uk

New Sales

Focused Services is pleased to be working alongside ACDE Europe, a globally recognised Swedish manufacturer of high-quality machinery attachments. With the UK dealer and distributor based in Scotland, this collaboration gives us the opportunity to bring ACDE Europe products to customers across Wales and the Southwest of England.

This partnership allows us to expand our product offering and help customers access innovative attachment solutions to meet their operational needs.

The following sections introduce the ACDE Europe products that are available through Focused Services, helping you explore the attachment solutions we can offer to meet your needs!



Breakers

BLTB-5 Series – Small Hammers



Compact, versatile and efficient

The Small-5 series of small hammers was developed for mini excavators, compact excavators, and small carrier vehicles. Thanks to their low weight, compact dimensions, and high impact rate, they are ideal for interior demolition, pipeline construction, asphalt and concrete breaking, and precise detail work.

- ✓ Compact design for confined spaces
- ✓ High frequency for finer demolition and chiseling work
- ✓ For carrier vehicles from approx. **0.8–7 t**

Model	Operating weight	Excavator size	Datasheet	ETList
BLTB-40-5	96	0.5~1.2	SPEC BLTB40	PARTBLTB40
BLTB-45-5	133	0.8~1.5	SPEC BLTB45	PARTBLTB45
BLTB-53-5	172	1.5~3.5	SPEC BLTB53	PARTBLTB53
BLTB-60-5	295	3~5.5	SPEC BLTB60	PARTBLTB60
BLTB-70-5	345	4.5~6	SPEC BLTB70	PARTBLTB70
BLTB-75-5	442	6~8.5	SPEC BLTB75	PARTBLTB75
BLTB-85-5	624	7~11	SPEC BLTB85	PARTBLTB85

BLTB-5 Series – Medium Hammers



Maximum impact power for the toughest missions

The medium-sized BLTB-5 models cover the most versatile range of applications. They combine high impact energy with a robust, economical design and are suitable for demolition, road construction, foundation work, trenching, and general construction site tasks.

- ✓ Optimal power-to-weight ratio
- ✓ Versatile use in construction and demolition
- ✓ For carrier vehicles of approx. **7–30 t**

Model	Operating weight	Excavator size	Datasheet	ETList
BLTB-100A-5-W	1020	10-14	SPEC BLTB100A	PARTBLTB100A
BLTB-125A-5-W	1245	14-18	SPEC BLTB125A	PARTBLTB125A
BLTB-135A-5-W	1521	18-22	SPEC BLTB135A	PARTBLTB135A
BLTB-140A-5-W	1750	20-24	SPEC BLTB140A	PARTBLTB140A
BLTB-150-5-W	2182	24-27	SPEC BLTB150	PARTBLTB150
BLTB-155-5-W	2482	27~33	SPEC BLTB155	PARTBLTB155
BLTB-165-5-W	2985	33-38	SPEC BLTB165	PARTBLTB165

BLTB-5 Series – Large Hammers



Maximum impact power for the toughest missions


The large models of the BLTB-5 series are designed for the toughest demolition and extraction work – including quarries, massive concrete foundations, industrial structures, and hard rock formations. Models like the BLTB-280-5 are among the most powerful production hammers in the world.

The **BLTB-280-5-W** has also been awarded the **World Demolition Award** in the *Innovation – Tools & Attachments* category, making it one of the most internationally recognized high-performance hydraulic hammers in its class.


- ✓ Extremely high impact energy and reinforced main components
- ✓ Optional: Underwater and tunnel kits, high-temperature packages, AIR-CONNECTION system
- ✓ For carriers of approx. **30–100+ t**

Model	Operating weight	Excavator size	Datasheet	ETList
BLTB-175L-5-W	4107	40-50	SPEC BLTB175	PART BLTB175L
BLTB-190-5-W	4990	45-55	SPEC BLTB190	PART BLTB190
BLTB-195-5-W	5120	50-60	SPEC BLTB195	PART BLTB195
BLTB-200-5-W	5240	50~65	SPEC BLTB200	PART BLTB200-5-W
BLTB-205-5-W	6532	55~65	SPEC BLTB205	
BLTB-210L-5-W	7253	65~75	SPEC BLTB210	PART BLTB210L
BLTB-215-5-W	7668	65~75	SPEC BLTB215	
BLTB-220-5-W	9365	68~85	SPEC BLTB220	
BLTB-230-5-W	10033	75-100	SPEC BLTB230	PART BLTB230-5-W
BLTB-235-5-W	10207	75-100	SPEC BLTB235	
BLTB-245-5-W	10598	90-130	SPEC BLTB245	
BLTB-260-5-W	11566	90~160	SPEC BLTB260	
BLTB-280-5-W	14039	120-200	SPEC BLTB280	

Range of Grabs




			A/A1	B	C	D										
	1°)	2°)	-	-	-	-	7°)	8°)	9°)	10°)	11°)	12°)	13°)	14°)	15°)	
	Kg	t	mm	mm	mm	mm	kN	°	l/min/max	bar/ min-max	l/min/max	bar	litr	AC		
ASG-80	80	0.8 - 1.2	595 / 600	430	300	600	6	360	5	170 - 210	15	300	30	AC02	M16	
ASG-105	105	1-2	610 / 670	500	350	770	7	360	5	170 - 210	20	300	40	AC02	M16	
ASG-160	160	1.2-3	650 / 670	545	450	800	15	360	10	170 - 210	25	300	70	AC03	M16	
ASG-280	280	3-5	770 / 850	780	500	1160	20	360	10	170 - 210	35	300	100	AC03	M16	
ASG-460	400	4-6	880 / 1010	850	600	1400	23	360	12	190 - 210	40	300	150	AC05	M16	
ASG-500	435	5-8	910/1085	905	700	1520	24	360	12	190-210	50	300	200	AC05	M16	
ASG-600	500	7-11	990 / 1156	885	700	1550	24	360	15	190 - 210	70	320	200	AC08	M20	
ASG-700	600	9-12	1050 / 1220	1055	600	1700	30	360	15	190 - 210	90	350	300	AC08	M20	
ASG-800-2	832	10-16	1140 / 1315	1070	800	1750	35	360	25	190-210	100	350	400	AC09	M30	
ASG-1000-2	1070	12-20	1245 / 1456	1175	800	1950	46	360	25	190-210	120	350	500	AC09	M30	
ASG-1090-2	1110	13-20	1245 / 1456	1175	900	1950	46	360	25	190-210	120	350	600	AC09	M30	
ASG-1100-2	1145	16-20	1245 / 1456	1175	1000	1950	46	360	25	190-210	120	350	700	AC09	M30	
ASG-1200-2	1360	16-25	1485/1675	1300	900	2100	55	360	35	190-210	160	350	750	AC09	M30	
ASG-1500-2	1420	17-28	1485/1675	1340	1000	2100	55	360	25	190-210	160	350	800	AC09	M30	
ASG-1800-2	1480	20-28	1485/1675	1300	1200	2100	55	360	35	190-210	160	350	850	AC09	M30	
ASG-2100-2	1750	23-30	1430/1695	1340	1200	2250	68	360	35	190-210	170	350	900	AC09	M30	
ASG-2300-2	1880	25-38	1460/1690	1350	1200	2250	80	360	35	190-210	170	350	950	AC10	M30	
ASG-2700-2	2500	28-40	1635/1830	1370	1200	2250	90	360	35	190-210	200	350	1000	AC10	M30	
ASG-2900-2	2700	30-50	1635/1830	1370	1360	2250	90	360	35	190-210	200	350	1100	AC10	M30	
ASG-3100-2	2900	30-50	1654/1945	1385	1500	2450	90	360	35	190-210	200	350	1210	AC10	M30	
ASG-4100-2	3910	40-65	1800/2050	1755	1500	2850	110	360	40	190-210	250	350	1500	AC14	M36	
ASG-4900-2	4100	45-80	1800/2090	1755	1500	2850	110	360	50	190-210	250	350	1500	AC14	M36	
ASG-5100-2	5000	45-100	1880/2200	1890	1500	3000	130	360	60	190-210	250	350	1600	AC14	M36	




			A/A1	B	C	D										
	1°) Kg	2°) t	- mm	- mm	- mm	- mm	7°) kN	8°) °	9°) l/min/max	10°) bar/ min-max	11°) l/min/max	12°) bar	13°) litr	14°) AC	15°) M16	
AMG-160-370	174	1.2-3	670	550	370	800	15	360	10	170 - 210	25	300	160	AC03	M16	
AMG-280-400	275	3-4	770	780	400	1160	20	360	10	170 - 210	35	300	250	AC03	M16	
AMG-280-500	310	3-5	770	780	500	1160	20	360	10	170 - 210	35	300	260	AC03	M16	
AMG-460-500	380	4-6	880	850	500	1400	23	360	12	190 - 210	40	300	335	AC05	M16	
AMG-600-600	430	5-8	930	885	600	1500	24	360	12	190 - 210	50	300	450	AC05	M16	
AMG-800-500	480	6-11	1055	885	500	1550	24	360	15	190-210	70	320	440	AC05	M16	
AMG-800-600	505	6-11	1055	885	600	1550	24	360	15	190 - 210	70	320	455	AC05	M16	
AMG-600-700	525	6-11	1055	885	700	1550	24	360	15	190 - 210	70	320	465	AC05	M16	
AMG-700-600	650	6-11	1100	1050	600	1800	30	360	15	190-210	90	350	580	AC08	M20	
AMG-800-600	820	7-12	1160	1070	600	1800	35	360	25	190-210	100	350	760	AC08	M20	
AMG-800-700	850	7-12	1160	1070	700	1800	35	360	25	190-210	120	350	800	AC08	M20	
AMG-1000-600	995	12-20	1245	1170	600	1950	46	360	25	190-210	120	350	1015	AC09	M30	
AMG-1000-700	1030	12-20	1245	1170	700	1950	46	360	25	190-210	120	350	1065	AC09	M30	
AMG-1500-800	1420	17-28	1440	1300	800	2100	68	360	35	190-210	170	350	1380	AC09	M30	
AMG-1500-900	1510	17-28	1440	1300	900	2100	68	360	35	190-210	170	350	1440	AC09	M30	
AMG-2100-1200	1940	24-35	1510	1350	1200	260	80	360	35	190-210	170	350	1800	AC10	M30	

Pulverisers




	1°)	2°)	-	-	-	6°)	-	8°)	9°)	10°)	11°)	12°)
	Kg	t	mm	mm	mm	mm		kN	l/min/max	bar	AC	
ASC-260	260	3-6	1075	700	400	80	250	285	30-50	240	AC03	M16
ASC-360	360	6-9	1260	780	520	120	290	315	40-60	240	AC05	M16
ASC-1350	1050	10-18	1898	1162	700	180	460	585	80-160	350	AC09	M30
ASC-1750-2	1450	18-24	2065	1314	880	180	584	675	160-240	350	AC09	M30
ASC-1750-2M	1820	18-24	2000	1680	880	180	584	877	160-240	350	AC09	M30
ASC-1950-3	1700	20-28	2350	1455	860	180	500	877	160-240	350	AC09	M30
ASC-1950-3M	1940	20-28	2350	1560	860	180	500	877	160-240	350	AC09	M30
ASC-2750-2	2750	30-40	2750	1702	1100	360	674	1125	220-350	350	AC10	M30
ASC-2750-2M	3100	30-40	2670	2125	1050	360	675	1125	220-350	350	AC10	M30

Scrap Shears



	1°)	2°)	-	-	-	6°)	7°)	8°)	9°)	10°)	11°)	12°)	13°)	14°)
	Kg	t	mm	mm	mm	kN	kN	°	l/min/max	bar/ min-max	l/min/max	bar	AC	
ASS-06	580	6-9	350	358	1990	510	920	360	20	100	120	245	AC08	M20
ASS-12	1180	12-25	420	480	2250	620	1430	360	30	120	140	350	AC09	M30
ASS-20	2150	20-35	510	540	2710	850	1480	360	30	120	250	350	AC09	M30
ASS-30	3100	25-35	600	630	3580	1175	2250	360	35	120	250	350	AC10	M30

Combination Shears



	1°)	2°)	-	-	-	-	-	8°)	9°)	10°)	11°)	12°)	13°)	14°)	15°)	16°)
	Kg	t	mm	mm	mm	mm	mm	kN	kN	°	l/min/max	bar/ min-max	l/min/max	bar	AC	-
ATB-25	2050	20-30	1550	2220	820	765	150	655	2650	360	30	160	250	350	AC09	M30
ATC-25	2490	20-30	1510	2265	745	765	360	810	1135	360	30	160	250	350	AC09	M30
ATS-25	2100	20-30	1280	2050	450	765	315	960	1560	360	30	160	250	350	AC09	M30

Compactors



ABV-1-SERIE Rigid Compactor Plate| Starre Anbauverdichter

			A	B	C	D	E						
	1')	2')	3')	-	-	-	-	8')	9')	11')	12')	13')	14')
	Kg	t	mm	mm	mm	mm	mm	Kg	N/min	l/min/max	bar	AC	-
ABV-150-1-AC02	150	2-4	650/470					3000	1800	60-70	100-130	AC02	M16
ABV-450-1-AC05	350	5-10	900/550					5000	1800	65-75	110-130	AC05	M16
ABV-650-1-AC09	650	12-18	1160/700					10000	1800	120-140	120-150	AC09	M30
ABV-1100-1-AC09	1100	18-32	1350/900					15000	1800	140-180	120-180	AC09	M30



ABV-2-SERIE Rotating Compactor Plate| Drehbare Anbauverdichter

			A	B	C	D	E						
	1')	2')	3')	-	-	-	-	8')	9')	11')	12')	13')	14')
	Kg	t	mm	mm	mm	mm	mm	Kg	N/min	l/min/max	bar	AC	-
ABV-250RD-2	250	3-6	735/470					3000	1800	25-40	100-130	AC05	M16
ABV-450RD-2	450	6-10	900/550					5000	1800	65-75	110-130	AC05	M16
ABV-800RD-2	820	12-18	990/700					10000	1800	120-140	120-150	AC09	M30
ABV-800RS-2	820	12-18	990/700					10000	1800	120-140	120-150	AC09	M30
ABV-1500RD-2	1525	18-32	1320/885					15000	1800	140-180	120-180	AC09	M30
ABV-1500RS-2	1525	18-32	1320/885					15000	1800	140-180	120-180	AC09	M30

Non-Hydraulic Attachments & Headstocks

Focused Services offers a wide range of non-hydraulic attachments, all manufactured in the UK, with many produced right here in South Wales. By working with UK manufacturers and supporting local businesses, we help our customers access quality attachment solutions while contributing to the strength of our local industry.

Brand new, non-hydraulic attachments stock is available to view through the Focused Services website!

Non-Hydraulic Attachments

Riddle Buckets 3t - 30t

Pallet Forks 5t - 30t

Compactor Wheels 5t - 30t

Head Stocks 0.8t - 50t

Grading Beams 5t - 20t

www.focusedservices.co.uk

Image for illustrative purposes only.



Image for illustrative purposes only.

If there is anything else you need but can't see information for, please get in touch!

Thank you for your interest in Focused Services. We hope to hear from you soon.

info.focusedservices@gmail.com | 07378 503593
www.focusedservices.co.uk